

Statin therapy for patients with diabetes

Published: Sep 1, 2021 - Administrative

Adults 40–75 years of age with diabetes, who do or do not have clinical atherosclerotic cardiovascular disease (ASCVD), should be started on a statin for primary and secondary prevention of ASCVD regardless of lipid status.¹

Studies show that statin use reduces comorbidities and mortality from heart disease and non-adherence to statins may increase cardiovascular events and even death.²

Clinicians play a powerful role in ensuring their patients are adherent to their statin therapies. In fact, 90% of patients can be successfully adherent to statin therapy with a personalized approach.

CALL TO ACTION: We created [this video](#) to offer clinicians best practices in helping their patients remain adherent to their statin therapies.

The following 7 strategies can help increase adherence to statin therapy in your patients:

1. Initiate statin therapy for patients with diabetes or clinical ASCVD as appropriate
 - For diabetics without ASCVD, use MODERATE INTENSITY statin for primary prevention.²
 - For diabetics with ASCVD, use HIGH INTENSITY statin for secondary prevention.¹
 - Low Intensity statins are not recommended unless unable to tolerate moderate or high intensity.⁴

Medications	
One of the following medications must have be dispensed to satisfy the SUPD measure.	
Drug Category	Medications
Statin medication	<ul style="list-style-type: none"> · Lovastatin · Fluvastatin · Pravastatin · Simvastatin · Rosuvastatin · Atorvastatin · Pitavastatin
Statin combination products	<ul style="list-style-type: none"> · Atorvastatin / amlodipine · Atorvastatin / ezetimibe · Lovastatin / niacin · Simvastatin / ezetimibe · Simvastatin / niacin · Simvastatin / sitagliptin
Timeframe	Standard exclusion(s)
Any time during the measurement year	<ul style="list-style-type: none"> · End-stage renal disease · Hospice · Rhabdomyolysis or myopathy · Pregnancy, lactation, or fertility · Liver disease · Pre-diabetes · Polycystic ovary syndrome (PCOS)

1. If a statin is not suitable for a patient, document exclusion criteria with the appropriate ICD-10 code
2. Educate patients about the long-term cardiovascular benefits of statin therapy and potential side effects
3. Try a lower dose, different statin, or consider intermittent statin therapy if there were previous statin-associated side effects

Intensity and Dose of Statin Therapy		
High Intensity	Moderate Intensity	Low Intensity
1. Daily dose lowers LDL-C on average by $\approx \geq 50\%$	2. Daily dose lowers LDL-C on average by $\approx 30\%$ to $< 50\%$	3. Daily dose lowers LDL-C on average by $< 30\%$
4. Atorvastatin 40-80 mg 5. Rosuvastatin 20-40 mg	6. Atorvastatin 10-20 mg 7. Rosuvastatin 5-10 mg 8. Simvastatin 20-40 mg 9. Pravastatin 40-80 mg 10. Lovastatin 40 mg 11. Fluvastatin XL 80 mg 12. Fluvastatin 40 mg bid 13. Pitavastatin 2-4 mg	14. Simvastatin 10 mg 15. Pravastatin 10-20 mg 16. Lovastatin 20 mg 17. Fluvastatin 20-40 mg 18. Pitavastatin 1 mg

5. Inform patients that a significant number of generic statin medications are available for \$0 for a 90-day supply on most plans
6. Encourage patients to use their plan ID card to fill statin medications
7. Watch [this video](#) to learn best practices on helping improve statin therapy adherence and your organization's overall quality and STARS performance.

References:

1 2013 ACC/AHA Prevention Guideline on the Treatment of Blood Cholesterol to Reduce Atherosclerotic Cardiovascular Risk in Adults, A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*. 2014;129:S1-S45, June 24, 2014. <https://www.ahajournals.org/doi/pdf/10.1161/01.cir.0000437738.63853.7a>

2 American College of Cardiology, The New 2017 American Diabetes Statement on Standards of Medical Care in Diabetes: Reducing Cardiovascular Risk in Patients with Diabetes, May 22, 2017. <https://www.acc.org/latest-in-cardiology/articles/2017/05/22/11/00/new-2017-american-diabetes-statement-on-standards-of-medical-care-in-diabetes>

3 CMS, 2019 Medicare-Medicaid Plan Performance Data Technical Notes.
<https://www.cms.gov/Medicare-Medicaid-Coordination/Medicare-and-Medicaid-Coordination/Medicare-Medicaid-Coordination/Office/FinancialAlignmentInitiative/Downloads/MMPPerformanceDataTechNotes.pdf>

4 Cochrane Database Syst Rev. 2013:CD004816

1304-0921-PN-CO

URL: <https://providernews.anthem.com/colorado/article/statin-therapy-for-patients-with-diabetes-7>

Featured In:

September 2021 Anthem Provider News and Important Updates - Colorado

Anthem Blue Cross and Blue Shield is the trade name of: In Colorado Rocky Mountain Hospital and Medical Service, Inc. HMO products underwritten by HMO Colorado, Inc. In Connecticut: Anthem Health Plans, Inc. In Georgia: Blue Cross Blue Shield Healthcare Plan of Georgia, Inc. In Indiana: Anthem Insurance Companies, Inc. In Kentucky: Anthem Health Plans of Kentucky, Inc. In Maine: Anthem Health Plans of Maine, Inc. In Missouri (excluding 30 counties in the Kansas City area): RightCHOICE® Managed Care, Inc. (RIT), Healthy Alliance® Life Insurance Company (HALIC), and HMO Missouri, Inc. RIT and certain affiliates administer non-HMO benefits underwritten by HALIC and HMO benefits underwritten by HMO Missouri, Inc. RIT and certain affiliates only provide administrative services for self-funded plans and do not underwrite benefits. In Nevada: Rocky Mountain Hospital and Medical Service, Inc. HMO products underwritten by HMO Colorado, Inc. dba HMO Nevada. In New Hampshire: Anthem Health Plans of New Hampshire, Inc. HMO plans are administered by Anthem Health Plans of New Hampshire, Inc. and underwritten by Matthew Thornton Health Plan, Inc. In Ohio: Community Insurance Company. In Virginia: Anthem Health Plans of Virginia, Inc. trades as Anthem Blue Cross and Blue Shield in Virginia, and its service area is all of Virginia except for the City of Fairfax, the Town of Vienna, and the area east of State Route 123. In Wisconsin: Blue Cross Blue Shield of Wisconsin (BCBSWI), which underwrites or administers the PPO and indemnity policies and underwrites the out of network benefits in POS policies offered by Compcare or WCIC; Compcare Health Services Insurance Corporation (Compcare) underwrites or administers the HMO policies and Wisconsin Collaborative Insurance Company (WCIC) underwrites or administers Well Priority HMO or POS policies. Independent licensees of the Blue Cross and Blue Shield Association. Anthem is a registered trademark of Anthem Insurance Companies, Inc. The Blue Cross and Blue Shield names and symbols are registered marks of the Blue Cross and Blue Shield Association. Use of the Anthem websites constitutes your agreement with our Terms of Use.
