

**Products & Programs:**

Update: Site of Care medical necessity reviews for long-acting colony-stimulating factors to begin August 1, 2021 . . . . . 4

CPT code E1399 not included in AIM Sleep Program effective April 1, 2021 . . . . . 5

**Behavioral Health:**

The health of millennials: Trends in behavioral health conditions . . . . . 6

**Pharmacy:**

Prior authorization updates for specialty pharmacy effective July 1, 2021 . . . . . 12

Correction: Updated formulary lists for commercial health plan pharmacy benefit effective April 1, 2021 . . . . . 13

Clinical criteria updates for specialty pharmacy . . . . . 14

Pharmacy information available on anthem.com . . . . . 17

**Administrative:**

Keeping up with routine vaccination during COVID-19: Well-child visits and vaccinations are essential services . . . . . 17

Update to provider UM reimbursement penalties and corresponding language in Provider Manual . . . . . 20

Maximizing efficient, high quality COVID-19 screenings . . . . . 21

Chat directly with a prior authorization specialist . . . . . 24

Interactive bilingual website Taking Action for our Health . . . . . 25

Join Anthem in talking about racism and its impact on health . . . . . 26

Attention facilities: Sending admission, discharge and transfer data to Anthem results in improved care management for patients . . . . . 27

Does your practice offer telehealth services? Let us know! . . . . . 28

Payer Spaces update - Education and Reference Center is now the Information Center . . . . .	29
Make the change to digital authorization/referral and hospital admission notifications using EDI . . . . .	30
Understanding Availity roles for Electronic Data Interchange (EDI) . . . . .	32
Provider Manual to be updated July 1, 2021 . . . . .	34
Procedure searches in Find Care - new sort option . . . . .	35
National Consumer Cost Tool (NCCT) provider cost data available for review . . . . .	36
MCG care guidelines 25th Edition . . . . .	37
 <b>Reimbursement Policies:</b>	
New reimbursement policy: Clinic Charges - facility . . . . .	40
 <b>Medical Policy &amp; Clinical Guidelines:</b>	
Medical policy and clinical guideline updates are available on anthem.com . . . . .	41
 <b>Federal Employee Plan (FEP):</b>	
HEDIS 2021 Federal Employee Program® medical record request requirements . . . . .	49
 <b>Medicare:</b>	
Medical drug benefit clinical criteria updates - November 2020 . . . . .	49
Medical drug benefit clinical criteria updates - December 2020 . . . . .	52
In-Office Assessment program . . . . .	0
Oncology dose reduction program beginning July 1, 2021 . . . . .	0

Anthem Blue Cross and Blue Shield is the trade name of: In Colorado Rocky Mountain Hospital and Medical Service, Inc. HMO products underwritten by HMO Colorado, Inc. In Connecticut: Anthem Health Plans, Inc. In Georgia: Blue Cross Blue Shield Healthcare Plan of Georgia, Inc. In Indiana: Anthem Insurance Companies, Inc. In Kentucky: Anthem Health Plans of Kentucky, Inc. In Maine: Anthem Health Plans of Maine, Inc. In Missouri (excluding 30 counties in the Kansas City area): RightCHOICE® Managed Care, Inc. (RIT), Healthy Alliance® Life Insurance Company (HALIC), and HMO Missouri, Inc. RIT and certain affiliates administer non-HMO benefits underwritten by HALIC and HMO benefits underwritten by HMO Missouri, Inc. RIT and certain affiliates only provide administrative services for self-funded plans and do not underwrite benefits. In Nevada: Rocky Mountain Hospital and Medical Service, Inc. HMO products underwritten by HMO Colorado, Inc. dba HMO Nevada. In New Hampshire: Anthem Health Plans of New Hampshire, Inc. HMO plans are administered by Anthem Health Plans of New Hampshire, Inc. and underwritten by Matthew Thornton Health Plan, Inc. In Ohio: Community Insurance Company. In Virginia: Anthem Health Plans of Virginia, Inc. trades as Anthem Blue Cross and Blue Shield in Virginia, and its service area is all of Virginia except for the City of Fairfax, the Town of Vienna, and the area east of State Route 123. In Wisconsin: Blue Cross Blue Shield of Wisconsin (BCBSWI), which underwrites or administers the PPO and indemnity policies and underwrites the out of network benefits in POS policies offered by Compcare or WCIC; Compcare Health Services Insurance Corporation

(Compcare) underwrites or administers the HMO policies and Wisconsin Collaborative Insurance Company (WCIC) underwrites or administers Well Priority HMO or POS policies. Independent licensees of the Blue Cross and Blue Shield Association. Anthem is a registered trademark of Anthem Insurance Companies, Inc. The Blue Cross and Blue Shield names and symbols are registered marks of the Blue Cross and Blue Shield Association. Use of the Anthem websites constitutes your agreement with our Terms of Use.

# Update: Site of Care medical necessity reviews for long-acting colony-stimulating factors to begin August 1, 2021

Published: Apr 1, 2021 - Products & Programs

This is an update to the article published in the [March 2021 edition of Provider News](#) regarding Site of Care medical necessity reviews for long-acting colony-stimulating factors. **The effective date has been moved from June 1, 2021 to August 1, 2021.**

**Please see below for the complete updated notice.**

Effective with dates of service on or after August 1, 2021, medical necessity review of the site of care is required for the following long-acting colony-stimulating factors for oncology indications for Anthem Commercial plan members.

- Neulasta® & Neulasta Onpro® (pegfilgrastim)
- Fulphila® (pegfilgrastim-jmdb)
- Udenyca® (pegfilgrastim-cbqv)
- Ziextenzo® (pegfilgrastim-bmez)
- Nyvepria™ (pegfilgrastim-apgf)

The review will be administered by AIM Specialty Health® (AIM).

AIM will evaluate the clinical information in the request to the CG-MED-083 policy, or *Site of Care: Specialty Pharmaceuticals*, to determine if the hospital-based outpatient setting is medically necessary for the medication administration. To see the policy and what clinical considerations are taken into account for determination, visit our [Medical Policies and Clinical Guidelines webpage](#). You may contact AIM to request a peer-to-peer discussion before or after the determination.

**The site of care medical necessity review only applies to administration performed in an outpatient hospital setting.** This does not apply to requests for review of medication administration performed in a non-hospital setting or as part of an inpatient stay. Reviews also do not apply when Anthem is the secondary payer.

**Submit a request for review**

**Starting July 19, 2021**, ordering providers may submit prior authorization requests for the hospital outpatient site of care for these medications for dates of service on or after August 1, 2021 to AIM in one of the following ways:

- Access AIM **ProviderPortal**<sub>SM</sub> directly at [providerportal.com](https://providerportal.com). Online access is available 24/7 to process orders in real-time and is the fastest and most convenient way to request authorization.
- Access AIM via the Availity Web Portal at [availity.com](https://availity.com).
- Call the AIM Contact Center toll-free number: 866-714-1107, Monday through Friday, 8:00 a.m. – 5:00 p.m.

Please note, this review does not apply to the following plans: BlueCard<sup>®</sup>, Federal Employee Program<sup>®</sup> (FEP<sup>®</sup>), Medicaid, Medicare Advantage, Medicare Supplemental plans. Providers can view prior authorization requirements for Anthem members on the [Clinical Criteria webpage](#).

**Providers should continue to verify eligibility and benefits for all members prior to rendering services.**

If you have questions, please call the Provider Service phone number on the member's ID card.

**Note:** In some plans “level of care” or another term such as “setting” or “place of service” may be the term used in benefit plans, provider contracts or other materials instead of or in addition to “site of care” and in some plans, these terms may be used interchangeably. For simplicity, we will hereafter use “site of care.”

1100-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/update-site-of-care-medical-necessity-reviews-for-long-acting-colony-stimulating-factors-to-begin-august-1-2021-1>

---

## **CPT code E1399 not included in AIM Sleep Program effective April 1, 2021**

Published: Apr 1, 2021 - **Products & Programs**

Please be advised of the following update regarding the AIM Sleep Program CPT code E1399, NOC: Durable medical equipment, miscellaneous applicable to Anthem Commercial members.

CPT code E1399 is **not** an appropriate billable code for continuous positive airway pressure (CPAP), automatic positive airway pressure (APAP) or bilevel positive airway pressure (BiPAP) equipment. *When requesting authorization for CPAP, APAP, or BIPAP, please do NOT use a not otherwise classified (NOC) code. Instead, use the specific, **appropriate** code for each of these devices.*

**Effective April 1, 2021, code E1399 will no longer be part of AIM's Sleep Therapy program and should not be submitted to AIM for review for CPAP, APAP, or BiPAP equipment.**

1051-0421-PN-NE

URL: <https://providernews.anthem.com/maine/article/cpt-code-e1399-not-included-in-aim-sleep-program-effective-april-1-2021>

---

## **The health of millennials: Trends in behavioral health conditions**

Published: Apr 1, 2021 - **Products & Programs** / Behavioral Health

The Blue Cross Blue Shield Association recently [published an updated study](#) that showed a downward trend in the physical health of millennials (those born between 1981 and 1996) driven largely by behavioral health conditions. There were notable increases in major depression (12%), alcohol use disorder (7%) and tobacco and substance use disorders (5%).

**Millennials with behavioral health conditions were at twice the risk of having a chronic physical condition.**

The study included the analysis of millennials' medical claims over a five year period. Those with ongoing behavioral health conditions were twice as likely to have a chronic physical condition as their peers without a behavioral health diagnosis.

## Behavioral health conditions driving adverse health for millennials

Condition	Years of Healthy Life Lost	Prevalence Rate per 100, 2018	1-Year Change 2017-2018	5-Year Change 2014-2018
ADHD	1.8	6.9	1%	39%
Tobacco Use Disorder	0.7	5.9	5%	10%
Major Depression	7.8	5.6	12%	43%
Substance Use Disorder	10.2	2.1	5%	17%
Alcohol Use Disorder	10.0	1.6	7%	5%
Psychotic Disorders	15.4	0.9	0%	26%

Reprinted from the Blue Cross and Blue Shield Association's 2019 report on the Health of Millennials.

It's important to follow-up with your patients - millennial, Gen X, Gen Z or baby boomer, who are prescribed antidepressant medications or who have been hospitalized for mental illness or substance use disorders. Not only will members have better behavioral health outcomes, their physical health could be significantly impacted as well. Follow these HEDIS® measures for additional guidance in closing the gaps in behavioral health conditions for all ages.

### A note about telehealth

NCQA now accepts telehealth codes for behavioral health and some physical health measures. The modifiers 95 and GT are defined as telehealth services rendered via interactive audio and video telecommunications system. CPT codes 90791-90792, 90832-90834, 90836-90838, 90845, 90847, 98960-98962, 99201-99205, 99212-99215, 99231-99233, 99241-99245, 99251-99255, 99307-99310, 99406-99409 and 99495-99496 may be used for reporting synchronous (real-time) telemedicine services when appended by modifier 95.

**Antidepressant medication management (AMM):** The percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication treatment. Two rates are reported:

- **Effective Acute Phase Treatment** - The percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks).
- **Effective Continuation Phase Treatment** - The percentage of members who remained on an antidepressant medication for at least 180 days (6 months).

### AMM billing codes:

- **BH outpatient:**
  - **CPT:** 99078, 99201-99205, 99211-99215, 99241-99245, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411-99412, 99510
  - **HCPCS:** G0155, G0176-G0177, G0409, G0463, H0002, H0004, H0031, H0034-H0037, H0039-H0040, H2000, H2001, H2010-H2011, M0064, T1015
- **Emergency department:**
  - **CPT:** 99281-99285
  - **UB Rev:** 0450-0452, 0456, 0459, 0981
- **Major depression ICD-10 CM:** F32.0-F32.4, F32.9, F33.0-F33.3, F33.41, F33.9
- **Telephone visit CPT:** 98966-98968, 99441-99443
- **Telephone modifier value set:** 95, GT POS: 02
- **Telehealth:** 90791-90792, 90832-90834, 90836-90838, 90845, 90847, 99201-99205, 99212-99215, 99231-99233, 99241-99245, 99251-99255, 98960-98962
- **Telehealth modifier:** 95 or GT
- **Telehealth POS:** 02

**Follow-up after hospitalization for mental illness (FUH)** - The percentage of discharges for members six (6) years of age and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health practitioner. Two rates are reported:

- *The percentage of discharges for which the member received follow-up within **30 days after discharge**.*
- *The percentage of discharges for which the member received follow-up within **7 days after discharge**.*

The follow-up visits within seven (7) days and 30 days after hospitalization can both be telehealth visits. Telephone visits alone do not meet this criterion.

**FUH billing codes:**

- **Follow-up visit:**



- **CPT:** 90791-90792, 90832-90840, 90845, 90847, 90849, 90853, 90875-90876, 98960-98962, 98966-98968, 99078, 99201-99205, 99211-99215, 99217-99223, 99231-99233, 99238-99239, 99241-99245, 99251-99255, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411-99412, 99441-99443, 99483, 99495-99496, 99510 **HCPCS:** G0155, G0176-G0177, G0409, G0463, H0002, H0004, H0031, H0034, H0036-H0037, H0039-H0040, H2000, H2010-H2011, H2013-H2020, M0064, T1015

- **Mental illness ICD-10 diagnosis codes:** F03.9x, F20-F25.xx, F28-F34.xx, F39-F45.xx, F48.xx, F50-F53.xx, F59-F60.xx, F63-F66.xx, F68-F69.xx, F80-F82.xx, F84.xx, F88-F93.xx, F95.xx, F98-F99.xx

- **Telehealth visits:** 90791-90792, 90832-90834, 90836-90838, 90845, 90847, 99201-99205, 99212-99215, 99231-99233, 99241-99245, 99251-99255, 98960-98962

**Telehealth modifier:** 95 or GT

**Telehealth POS:** 02

**Follow-up after emergency department visit for mental illness (FUM)** - The percentage of emergency department (ED) visits for members 6 years of age and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness. Two rates are reported:

- *The percentage of ED visits for which the member received follow-up within **30 days of the ED visit (31 total days).***
- *The percentage of ED visits for which the member received follow-up within **7 days of the ED visit (8 total days).***

The follow-up visits, within 7 days and 30 days after hospitalization, can both be telehealth visits. Telephone visits alone do not meet this criterion.

**FUM billing codes:**

- **Outpatient follow-up visit:**

- **CPT:** 90791-90792, 90832-90834, 90836-90840, 90845, 90847, 90849, 90853, 90875-90876, 98960-98962, 98966-98968, 99078, 99201-99205, 99211-99215, 99217-99223, 99231-99233, 99238-99239, 99241-99245, 99251-99255, 99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411-99412, 99441-99443, 99483, 99495-99496, 99510

- **HCPCS:** G0155, G0176-G0177, G0409, G0463, H0002, H0004, H0031, H0034, H0036-H0037, H0039-H0040, H2000, H2010-H2011, H2013-H2020, M0064, T1015
- **Mental illness ICD-10 diagnosis codes:**9x, F20-25.xx, F28-34. xx, F39-45.xx, F48.xx, F50-53.xx, F59-60.xx, F63-66.xx, F68-69.xx, F80-82.xx, F84.xx, F88-93.xx, F95.xx, F98-99.xx
- **Intentional self-harm ICD-10 diagnosis code example:**92XA
- **Other visits:** 90791-90792, 90832-90834, 90836-90838, 90845, 90847, 99201-99205, 99212-99215, 99231-99233, 99241-99245, 99251-99255, 98960-98962
- **Telehealth modifier:** 95 or GT
- **Telehealth modifier place of service (POS):** 02

### **Follow-up after emergency department visit for alcohol and other drug abuse or dependence (FUA) -**

The percentage of emergency department (ED) visits for members 13 years of age and older with a principal diagnosis of alcohol or other drug (AOD) abuse or dependence, who had a follow up visit for AOD. Two rates are reported:

- *The percentage of ED visits for which the member received follow-up within **30 days of the ED visit (31 total days).***
- *The percentage of ED visits for which the member received follow-up within **7 days of the ED visit (8 total days).***

The follow-up visits, within 7 days and 30 days after hospitalization, can both be telehealth visits. Telephone visits alone do not meet this criterion.

### **FUA billing codes:**

- **Initiation, engagement and treatment follow-up visit CPT:** 98960-98962, 99078, 99201-99205, 99211-99215, 99241-99245, 99341-99350, 99384-99387, 99394-99397, 99401-99404, 99408-99409, 99411-99412, 99483, 99510
- **Alcohol counseling or other follow-up visit:**
  - **CPT:** 99408-99409
  - **HCPCS:** G0396-G0397, G0443, H0005, H0007, H0016, H0022, H0050, H2035-H2036, T1006, T1012 AOD

- **Medication treatment HCPCS:** G2067-G2077, G2080, G2086-G2087, H0020, H0033, J0570, J0571-J0575, J2315, Q9991-Q9992, S0109
- **Substance use disorder ICD-10:** F10-16.xx, F18-19.xx
- **Telehealth modifier:** 95 or GT
- **Telephone visits:** 98966-98968, 99441-99443
- **Other visits:** 90791-90792, 90832-90834, 90836-90838, 90845, 90847, 99201-99205, 99212-99215, 99231-99233, 99241-99245, 99251-99255, 99408-99409, 98960-98962
- **Telehealth modifier place of service (POS):** 02

**Follow-up after high-intensity care for substance use disorder (FUI)** - The percentage of acute inpatient hospitalizations, residential treatment or detoxification visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder. Two rates are reported:

- *The percentage of visits or discharges for which the member received follow-up for substance use disorder within the **30 days after the visit or discharge**.*
- *The percentage of visits or discharges for which the member received follow-up for substance use disorder within the **7 days after the visit or discharge**.*

**FUI billing codes:**

- **Opioid abuse and dependence ICD-10:**10, F11.120, F11.121, F11.122, F11.129
- **Other drug abuse and dependence ICD-10:**10, F12.120, F12.121, F12.122, F12.129
- **Alcohol abuse and dependence ICD-10:**10, F10.120, F10.121, F10.14, F10.150
- **Telephone visit CPT:** 98966-98968, 99411-99443
- **Online assessment CPT:** 98969-98972, 99421-99423, 99444, 99458

- **IET stand alone visit CPT: 98960-98962, 99201-99205, 99211-99215**

Article Attachments

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA)

1Millennial Health: Trends in Behavioral Health Conditions. <https://www.bcbs.com/the-health-of-america/reports/millennial-health-trends-behavioral-health-conditions>

1079-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/the-health-of-millennials-trends-in-behavioral-health-conditions-3>

## Prior authorization updates for specialty pharmacy effective July 1, 2021

Published: Apr 1, 2021 - **Products & Programs** / Pharmacy

### Prior authorization updates

Effective for dates of service on and after July 1, 2021, the following specialty pharmacy codes from current or new clinical criteria documents will be included in our prior authorization review process.

Please note, inclusion of national drug code (NDC) code on your claim will help expedite claim processing of drugs billed with a not otherwise classified (NOC) code.

Visit our website to access the [clinical criteria information](#).

Prior authorization clinical review of *non-oncology use* of specialty pharmacy drugs will be managed by Anthem’s medical specialty drug review team. Review of specialty pharmacy drugs for *oncology indications* will be managed by AIM Specialty Health® (AIM).

Clinical Criteria	HCPCS or CPT Code(s)	Drug
*ING-CC-0027	J0897	Xgeva

\* Non-oncology use is managed by Anthem’s medical specialty drug review team.

### Quantity limit updates

Effective for dates of service on and after July 1, 2021, the following specialty pharmacy codes from current or new clinical criteria documents will be included in our quantity limit review process.

Please note, inclusion of national drug code (NDC) code on your claim will help expedite claim processing of drugs billed with a not otherwise classified (NOC) code.

Visit our website to access the [clinical criteria information](#).

Prior authorization clinical review of *non-oncology use* of specialty pharmacy drugs will be managed by Anthem's medical specialty drug review team. Review of specialty pharmacy drugs for *oncology indications* will be managed by AIM Specialty Health® (AIM).

Clinical Criteria	HCPCS or CPT Code(s)	Drug
*ING-CC-0027	J0897	Xgeva

\* Non-oncology use is managed by Anthem's medical specialty drug review team.

1090-0421-PN-NE

URL: <https://providernews.anthem.com/maine/article/prior-authorization-updates-for-specialty-pharmacy-effective-july-1-2021>

---

## Correction: Updated formulary lists for commercial health plan pharmacy benefit effective April 1, 2021

Published: Apr 1, 2021 - Products & Programs / Pharmacy

In the February 2021 edition of *Provider News*, we announced updates to the formulary lists for Commercial health plans effective April 1, 2021.

Be advised that the formulary list in the February issue was incorrect; please use this link to access [the correct summary of formulary changes](#) effective April 1, 2021. Please disregard the list we published in the February article.

We apologize for any inconvenience this may have caused.

1113-0421-PN-NE

## Clinical criteria updates for specialty pharmacy

Published: Apr 1, 2021 - **Products & Programs** / Pharmacy

The following clinical criteria documents were endorsed at the February 19, 2021, Clinical Criteria meeting. Visit our [website](#) to access the clinical criteria information.

### New clinical criteria effective February 25, 2021

The following clinical criteria are new.

- ING-CC-0186 Margenza (margetuximab-cmkb)
- ING-CC-0187 Breyanzi (lisocabtagene maraleucel)

### Revised clinical criteria effective February 25, 2021

The following current clinical criteria were revised to expand medical necessity indications or criteria.

- ING-CC-0028: Benlysta (belimumab)
- ING-CC-0094: Pemetrexed Agents (Alimta, Pemfexy)
- ING-CC-0107: Bevacizumab agents (Avastin, Mvasi)
- ING-CC-0167: Rituximab Agents for Oncologic Indications Step Therapy

### Reviewed clinical criteria effective February 25, 2021

The following current clinical criteria were reviewed and may have word changes or clarifications, but had no significant changes to the position or criteria.

- ING-CC-0002: Colony Stimulating Factor Agents

### New clinical criteria effective March 16, 2021

The following clinical criteria is new.

- ING-CC-0189: Amondys 45 (casimersen)
- ING-CC-0190: Nulibry (fosdenopterin)

### **Revised clinical criteria effective March 23, 2021**

The following current clinical criteria were revised to expand medical necessity indications or criteria.

- ING-CC-0033: Xolair (omalizumab)
- ING-CC-0043: Monoclonal Antibodies to Interleukin-5
- ING-CC-0099: Abraxane (paclitaxel, protein bound)
- ING-CC-0119: Yervoy (ipilimumab)
- ING-CC-0125: Opdivo (nivolumab)
- ING-CC-0157: Padcev (enfortumab vedotin)
- ING-CC-0158: Enhertu (fam-trastuzumab deruxtecan-nxki)

### **Coding update effective March 23, 2021**

The following clinical criteria was updated with new procedure and/or diagnosis codes.

- ING-CC-0115: Kadcyla (ado-trastuzumab)

### **Reviewed clinical criteria effective March 23, 2021**

The following current clinical criteria were reviewed and may have word changes or clarifications, but had no significant changes to the position or criteria.

- ING-CC-0011: Ocrevus (ocrelizumab)
- ING-CC-0027: Denosumab Agents
- ING-CC-0085: Actimmune (interferon gamma-1B)
- ING-CC-0088: Elzonris (tagraxofusp-erzs)
- ING-CC-0089: Mozobil (plerixafor)
- ING-CC-0090: Ixempra (ixabepilone)
- ING-CC-0091: Lartruvo (olaratumab)
- ING-CC-0096: Asparagine Specific Enzymes: Oncaspar (pegaspargase), Erwinaze (asparaginase [erwinia chrysanthemi])
- ING-CC-0103: Faslodex (fulvestrant)
- ING-CC-0108: Halaven (eribulin)
- ING-CC-0109: Zaltrap (ziv-aflibercept)
- ING-CC-0110: Perjeta (pertuzumab)

- ING-CC-0112: Xofigo (Radium Ra 223 Dichloride)
- ING-CC-0113: Sylvant (siltuximab)
- ING-CC-0117: Empliciti (elotuzumab)
- ING-CC-0118: Radioimmunotherapy: Zevalin; azedra; Lutathera
- ING-CC-0120: Kyprolis (carfilzomib)
- ING-CC-0121: Gazyva (obinutuzumab)
- ING-CC-0122: Arzerra (ofatumumab)
- ING-CC-0126: Blincyto (blinatumomab)
- ING-CC-0129: Bavencio (avelumab)
- ING-CC-0130: Imfinzi (durvalumab)
- ING-CC-0131: Besponsa (inotuzumab ozogamicin)
- ING-CC-0132: Mylotarg (gemtuzumab ozogamicin)
- ING-CC-0135: Melanoma Vaccines
- ING-CC-0140: Zulresso (brexanolone)
- ING-CC-0156: Reblozyl (luspatercept)
- ING-CC-0160: Vyepi (eptinezumab-jjmr)
- ING-CC-0164: Jelmyto (mitomycin gel)

### **New clinical criteria effective July 1, 2021**

The following clinical criteria is new.

- ING-CC-0188: Imcivree (setmelanotide)

### **Revised clinical criteria effective July 1, 2021**

The following current clinical criteria were revised and might result in services that were previously covered but may now be found to be not medically necessary.

- ING-CC-0028: Benlysta (belimumab)
- ING-CC-0034: Hereditary Angioedema Agents
- ING-CC-0043: Monoclonal Antibodies to Interleukin-5
- ING-CC-0067: Prostacyclin Infusion and Inhalation Therapy
- ING-CC-0075: Rituxan (rituximab) for Non-Oncologic Indications
- ING-CC-0086: Spravato (esketamine) Nasal Spray
- ING-CC-0094: Pemetrexed Agents (Alimta, Pemfexy)



- ING-CC-0115: Kadcyla (ado-trastuzumab)
- ING-CC-0119: Yervoy (ipilimumab)
- ING-CC-0123: Cyramza (ramucirumab)
- ING-CC-0125: Opdivo (nivolumab)
- ING-CC-0157: Padcev (enfortumab vedotin)

1087-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/clinical-criteria-updates-for-specialty-pharmacy-52>

---

## Pharmacy information available on anthem.com

Published: Apr 1, 2021 - **Products & Programs** / Pharmacy

For more information on copayment/coinsurance requirements and their applicable drug classes, drug lists and changes, prior authorization criteria, procedures for generic substitution, therapeutic interchange, step therapy or other management methods subject to prescribing decisions, and any other requirements, restrictions, or limitations that apply to using certain drugs, visit [anthem.com/pharmacyinformation](https://www.anthem.com/pharmacyinformation). The commercial and marketplace drug lists are posted to the web site quarterly (the first of the month for January, April, July and October).

To locate “Marketplace Select Formulary” and pharmacy information, scroll down to “Select Drug Lists.” This drug list is also reviewed and updated regularly as needed.

FEP Pharmacy updates and other pharmacy related information may be accessed at [www.fepblue.org](https://www.fepblue.org) > Pharmacy Benefits.

1037-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/pharmacy-information-available-on-anthemcom-92>

---

## Keeping up with routine vaccination during COVID-19: Well-child visits and vaccinations are essential services

Published: Apr 1, 2021 - **Administrative**

In May 2020, the Centers for Disease Control (CDC) released a [report](#) that showed a drop in routine childhood vaccinations as a result of COVID-19; a result of stay at home orders and concerns about infection during well-child visits. Both the American Academy of Pediatrics and the CDC recommend the continuation of routine childhood vaccinations during the COVID-19 pandemic, noting they are essential services.



To encourage well-visits and vaccinations, here are some extra steps you can take, if you haven't already, to make visits as safe as possible for both patients and staff. They include:

- Scheduling sick visits and well-child visits during different times of the day
- Asking patients to remain outside until it's time for their appointment to reduce the number of people in waiting rooms
- Offering sick visits and well-child visits in different locations

It's important to identify those children who have missed immunizations and well-child visits to schedule these essential in-person appointments. To help, the CDC has published [vaccine catch-up guidance](#) on their website.

### **Important update from The National Committee for Quality Assurance (NCQA)**

In a recent webinar, NCQA stressed the importance of getting childhood immunizations as soon as possible citing the impacts from the possible summer COVID-19 vaccine launch for children. Physicians are being advised that children should not receive any other vaccinations two (2) weeks prior to or two (2) weeks after receiving a COVID-19 vaccine. They reemphasized the significance of delay and suggest that childhood immunizations are administered as soon as needed through proactive scheduling and preplanning.

## Helpful information for keeping babies and children healthy

Childhood Immunization Schedule (CIS) HEDIS® measures require that all children are immunized by the age of two:

- Four (4) DTaP (diphtheria, tetanus and acellular pertussis)
- Three (3) IPV (polio)
- One (1) MMR (measles, mumps, rubella)
- Three (3) HiB (H influenza type B)
- Three (3) HepB (hepatitis B)
- One (1) VZV (chicken pox)
- Four (4) PCV (pneumococcal conjugate)
- One (1) HepA (hepatitis A)
- Two (2) or three (3) RV (rotavirus)
- Two (2) Influenza (flu)

Billing codes:

- **MMR:**
  - **CPT:** 90707, 90710
  - **ICD-10-CM:** B05.0-4, B05.81, B05.89, B05.9
- **Mumps ICD-10-CM:** B26.0-3, B26.81-85, B26.89, B26.9
- **Rubella:**
  - **ICD-10-CM:** B06.00-02, B06.09, B06.81-82, B06.89, B06.9
  - **CPT:** 90706
- **Rubella antibody CPT:** 86762
- **Hepatitis A (HepA):**
  - **CPT:** 90633
  - **ICD-10-CM:** B15.0, B15.9
- **Influenza:**
  - **CPT:** 90655, 90657, 90661-90662, 90673, 90685-90689

- **HCPCS:** G0008
- **Rotavirus vaccine (RV)** CPT: 90681 (two-dose) and 90680 (three-dose)

Children should be fully immunized by 13 years of age to meet the Immunization for Adolescents (IMA) HEDIS® measure:

- One (1) meningococcal vaccine (MCV) injection between 11 to 13 years of age
- One (1) tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap/Td) between 10 to 13 years of age
- Two (2) or three (3) HPV vaccines between 9 to 13 years of age

Billing codes:

- **Meningococcal** CPT: 90734
- **Tdap** CPT: 90715
- **HPV** CPT: 90649-90651

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

For a complete list of HEDIS® measures, descriptions and coding tips, visit [anthem.com](https://www.anthem.com).

1080-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/keeping-up-with-routine-vaccination-during-covid-19-well-child-visits-and-vaccinations-are-essential-services-4>

## Update to provider UM reimbursement penalties and corresponding language in Provider Manual

Published: Apr 1, 2021 - Administrative

Effective for dates of service on and after **July 1, 2021**, Anthem Blue Cross and Blue Shield (Anthem) will increase the reimbursement penalty for failure to comply with the Utilization Management (UM) program's prior authorization requirements for services rendered to commercial plan members. Late prior authorizations, and late notices in the case of emergency admissions, are currently subject to a penalty and will be subject to the increase in the penalty. **Failure to comply with Anthem's prior authorization requirements, and late notice requirements in the case of emergency admissions, will result in a 100% reduction in reimbursement to the provider and facility.**

As a reminder, Anthem requires prior authorization prior to the delivery of certain elective services in both the inpatient and outpatient settings. For an emergency admission, prior authorization is not required; however, you must notify Anthem of the admission within the timeframe specified in the Provider Manual or as otherwise required by law. Failure to give timely notification for emergency admissions will also result in reimbursement penalties of 100% to providers and facilities.

Enforcement of the program requirement will lead to greater consistency in our processes. This notice updates Anthem's UM program reimbursement penalties and the corresponding sections of the Provider Manual to reflect this change to the reimbursement penalty for non-compliance. These updates will be reflected in the next updated version of the Provider Manual. As a reminder, providers and facilities may not balance bill the member for any such reduction in payment.

1096-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/update-to-provider-um-reimbursement-penalties-and-corresponding-language-in-provider-manual>

---

## Maximizing efficient, high quality COVID-19 screenings

Published: Apr 1, 2021 - Administrative

Identifying the most appropriate COVID-19 testing codes, testing sites and type of test to use can be confusing. The guidance below can make it easier for you to refer your patients to high-quality, lower-cost COVID-19 testing sites, find Anthem contracted laboratories and identify the proper CPT codes to use.

Contact your Anthem representative for additional information or visit [anthem.com/coronavirus/providers](https://anthem.com/coronavirus/providers).

### **COVID-19 testing coding guidelines**

- For a new or established patient, CPT code 99211 would be appropriate if patient is being seen for no other services besides a specimen collection.
- For a patient assessment in addition to a specimen collection it is appropriate to bill the applicable E&M service, CPT codes 99202-99215. Specimen collection is a component of the E&M service and is not separately reimbursable.
- Effective April 1, 2021, CPT codes G2023 and G2024 are appropriate when billed by clinical laboratories only and are not appropriate for provider practices.

### **Refer patients to [anthem.com/coronavirus](https://anthem.com/coronavirus) to find convenient testing locations**

If an Anthem member requests a COVID-19 test, you may refer them to [anthem.com](https://anthem.com) or the Sydney Health mobile app to find testing locations near them. Our test-site finder gives members important information about each site, including days and hours of operation, and if they offer:

- Appointments or walk-ins
- Drive-thru service
- Antibody testing
- Testing for children
- Rapid test results

### **Send swab tests to Anthem-contracted laboratories**

When providing COVID-19 molecular testing services to our members, consider utilizing the following additional in-network, high-quality labs to assist in helping to ensure that our members are receiving high value health care.

In-network lab	Telephone	Website
Eurofins NTD	888-683-5227	<a href="https://www.ntd-eurofins.com/">https://www.ntd-eurofins.com/</a>
Eurofins Viracor	800-305-5198	<a href="https://www.viracor-eurofins.com/test-menu/8300-coronavirus-covid-19-sars-cov-2-rt-pcr/">https://www.viracor-eurofins.com/test-menu/8300-coronavirus-covid-19-sars-cov-2-rt-pcr/</a>
Eurofins Boston Heart	877-425-1252	<a href="https://bostonheartdiagnostics.com/">https://bostonheartdiagnostics.com/</a>
Fulgent Therapeutics	626-350-0537	<a href="https://www.fulgentgenetics.com/covid19">https://www.fulgentgenetics.com/covid19</a>
Invitae Corporation	650-466-7242	<a href="https://www.invitae.com/en/partners/">https://www.invitae.com/en/partners/</a>
Gravity Diagnostics	855-841-7111	<a href="https://gravitydiagnostics.com/covid-19-coronavirus-testing-partners/">https://gravitydiagnostics.com/covid-19-coronavirus-testing-partners/</a>
Mako Medical Laboratories	919- 351-6256	<a href="https://makomedical.com/">https://makomedical.com/</a>

### Consider antigen testing when rapid test results are needed

- Antigen tests can be a quicker way to detect COVID-19 than nucleic acid amplification tests (NAAT), e.g. PCR. Antigen tests offer a reasonable and lower cost alternative when screening asymptomatic or low-risk patients and may be most useful for individuals within the first five to seven days of symptoms when virus replication is at its highest.
- Antigen tests can be used to detect current infection, are relatively easy to use, and most can provide point-of-care testing results. The Centers for Disease Control and Prevention (CDC) notes that proper interpretation of antigen test results (and confirmatory testing with NAAT when indicated) is important for accurate clinical management of patients with suspected COVID-19; more information can be found [here](#).
- The CDC notes that when molecular tests are unavailable or rapid turnaround time is needed, antigen tests can generally be used for diagnosis of COVID-19.
- Antigen tests are typically less sensitive and clinicians should interpret negative results carefully. When symptoms are present or a high clinical suspicion exists, negative antigen tests should be confirmed with a molecular test.
- When antigen tests are used in symptomatic patients, positive antigen tests can be interpreted as indicative of SARS-CoV-2 infection and do not usually require follow-up testing.

## Consider using COVID-19 and flu combination testing when appropriate

- According to the CDC, clinicians should consider testing for other causes of respiratory illness, including infections such as influenza, when clinically appropriate.

1099-0421-PN-NE

URL: <https://providernews.anthem.com/maine/article/maximizing-efficient-high-quality-covid-19-screenings-8>

---

## Chat directly with a prior authorization specialist

Published: Apr 1, 2021 - **Administrative**

### The fast, easy way to have your questions answered

If you have questions about prior authorizations (PA), you now have a new option to have them answered quickly and easily. With Anthem Chat, providers can have a real-time, online discussion with a PA specialist.

- Faster access to PA provider services experts
- Real-time answers to your questions about PA and live help for submissions, similar to the call experience
- Access to denial information and clinical team for resolution
- The same high level of safety and security you have come to expect with Anthem

Chat is one example of how Anthem is using digital technology to improve the healthcare experience, with a goal to save you valuable time. To start, access the service through *Payer Spaces* on [Availity](#).

To access chat, log on to [www.Availity.com](http://www.Availity.com). Select *Payer Spaces* then select the health plan. Once in *Payer Spaces*, select the *Chat with Payer* box from *Applications*.

1092-0421-PN-NE



## Interactive bilingual website Taking Action for our Health

Published: Apr 1, 2021 - **Administrative**

Having the common goal of reaching all Latinos in the US, Anthem, Inc., the Beckman Research Institute of City of Hope, the National Hispanic Medical Association, and Pfizer, Inc., announce the launch of *Tomando Acción por Nuestra Salud/Taking Action for Our Health*, a free interactive bilingual website aimed at eliminating health disparities in the Latino community. The website encourages preventive health screenings for cancer, emotional health, heart health, and prediabetes. It also provides tools to help people care for the emotional health of their families and themselves in the language of their preference.

The interactive website highlights the importance of health screenings, addresses barriers and provides information on access to low and no cost healthcare services in the community. The easy to use website, guides participants through four programs where they can learn about risk factors, take action to get screened, monitor their progress, and share their results with their doctors, health care teams or family and friends to let them know they are taking steps to protect their health and help encourage others to participate as well.

**The website is not exclusive for Anthem members. Health care providers are encouraged to share the website with all of their Latino patients.**

The website identifies four major targets of undue poor health outcomes for Latinos. In response, *Tomando Acción por Nuestra Salud/Taking Action for Our Health* strives to help increase cancer screening, screening for depression/anxiety-risk, heart diseases and prediabetes and provides tools to address emotional health. The website includes a 4-part workshop series “Compartiendo el Café y el Chocolate/Coffee and Chocolate” to help people care for the emotional health of their family and themselves. This is a program, specifically for Hispanics, that uses a holistic approach to emotional stability. It builds on cultural strengths to balance four key items—community, body, mind, and spirit.

To access *Tomando Acción por Nuestra Salud/Taking Action for Our Health* visit: Taking Action for Our Health.

1038-0421-PN-NE

## Join Anthem in talking about racism and its impact on health

Published: Apr 1, 2021 - **Administrative**

Healthcare and mental healthcare professionals have a vital role in identifying, treating, and addressing racial trauma and injustice, moving our communities towards racial equity, and improving the health and wellbeing of all Americans.

### **We can impact the injustice of racism together.**

Anthem has partnered with [Motivo\\*](#), the first HIPAA-compliant digital platform that connects mental health therapists and clinical supervisors, to take on the challenge of facilitating conversations on racial injustice, trauma, and inequality among our providers and associates.

We are hosting Racial Equity forums on a quarterly basis to keep the conversation going. Please register for the next forum, Deconstructing Bias, to learn more about the impact of racism on healthcare and the people we serve, and what we can do about it.

In Pursuit of Racial Equity: Deconstructing Bias

Wednesday, June 9, 2021

4:00 p.m. – 5:30 pm

[Register today!](#)

### **Our racial equity forums focus on:**

- Exploring how racism takes shape in healthcare.
- Discussing how to identify racism in your practice and how to be an ally to your patients.
- Understanding the impact of prolonged exposure to racism on people of .
- Providing you with actionable resources to put an end to racism in your practice.

Since October 2020, Anthem has sponsored two virtual forums featuring healthcare professionals from Anthem and Motivo: [Racial Trauma in America](#) and [The Road to Allyship: Playing Your Part in Racial Equity](#).

## **We know we are on the right track because the Racial Equity Forum participants say so.**

- 90% received meaningful information about the influence that racism and white privilege may have on their perspectives and gained an understanding on what actions they can take to make a difference and be an ally.
- 86% obtained useful information and resources that will enhance their ability to serve patients.
- 75% agreed that the forum helped them understand a different perspective.
- 76% had some of their perspectives and beliefs challenged.

## **Systematic racism is a part of today's healthcare system.**

- US physicians underestimate the pain level of Black patients 47% of the time vs. 33.5% of the time for white patients ([PNAS](#)).
- Black women die from pregnancy or childbirth 243% more often than white women ([CDC](#)).

**The first step to addressing racism is to recognize its existence, subtle or otherwise.** These conversations can be uncomfortable, but this is how you can do something about racial injustice now.

At Anthem, we are determined to reduce racism in our communities with your support and participation.

\*Motivo is an independent company providing a virtual forum on behalf of Anthem.

1089-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/join-anthem-in-talking-about-racism-and-its-impact-on-health-3>

---

## **Attention facilities: Sending admission, discharge and transfer data to Anthem results in improved care management for patients**

Published: Apr 1, 2021 - **Administrative**

The Centers for Medicare & Medicaid Services (CMS) has issued [an Interoperability and Patient Access Policy](#) to reduce the burden of certain administrative processes. The CMS policy requires providers to implement application programming interfaces (APIs) to improve the electronic exchange of healthcare data between patient, provider and payer. The policy reiterates, that in partnership with the Office of the National Coordinator for Health Information (ONC), CMS has identified Health Level 7<sup>®</sup> (HL7) as the foundational standard to support data exchange via secure API. Implementation of this CMS mandate is expected by July 1, 2021.

Anthem's Clinical Data Acquisition Group has integrated admission, discharge and transfer (ADT) data from facility providers, health information exchanges and third-party aggregators. ADT data exchange can help Anthem:

- Better support members with care coordination and discharge planning – leading to healthier outcomes for our members – your patients.
- Proactively manage care transitions to avoid waste.
- Close care gaps and educate members about appropriate care settings to better manage out-of-pocket expenses.

Anthem would like to digitally exchange HLT ADT messaging data for our members using secure data collection and transmission capabilities currently in use by facility systems. Facilities with network connections through vendors or health information exchanges can integrate ADT data with Anthem through these channels as well. Near real time HL7 ADT messaging data, or at least within 24-hours of admission, discharge or transfer, enables Anthem to most effectively manage care transitions.

Contact the Clinical Data and Analytics team to get started today at [ADT\\_Intake@Anthem.com](mailto:ADT_Intake@Anthem.com).

1081-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/attention-facilities-sending-admission-discharge-and-transfer-data-to-anthem-results-in-improved-care-management-for-patients-3>

---

## Does your practice offer telehealth services? Let us know!

Published: Apr 1, 2021 - Administrative

Beginning in April 2021, our online directories will identify professional providers who offer telehealth services in their practice.

We encourage providers to utilize the online Provider Maintenance Form to notify us about your telehealth services and we will add a telehealth indicator to your online provider directory profile.

Visit [anthem.com](https://www.anthem.com) to locate the [Provider Maintenance Form](#). Please contact Provider Services if you have any questions.

1003-0421-PN-NE

URL: <https://providernews.anthem.com/maine/article/does-your-practice-offer-telehealth-services-let-us-know-16>

---

## Payer Spaces update - Education and Reference Center is now the Information Center

Published: Apr 1, 2021 - Administrative

The **Information Center** has replaced the Education and Reference Center application in Payer Spaces on the Availity Portal. There you'll find important policies, forms and helpful resources.

If you're looking for specific education materials, we invite you to visit the Custom Learning Center in Availity, which was designed to offer education/training content and to be a learning environment. Content previously posted in the Communication & Education tab have now migrated there. Find the Custom Learning Center tool in Payer Spaces > Applications > Access the Custom Learning Center.


Locate the **Information Center** in Payer Spaces. Depending on your market, the **Information Center** contains a number of sections:

- Administrative Support
- Behavioral Health

- Clinical Resources
- Medicaid
- Medicare
- Federal Employee Program® (FEP®)

Article Attachments

To view content in both of these valuable tools, visit Payer Spaces today.



1060-0421-PN-NE

URL: <https://providernews.anthem.com/maine/article/payer-spaces-update-education-and-reference-center-is-now-the-information-center>

## Make the change to digital authorization/referral and hospital admission notifications using EDI

Published: Apr 1, 2021 - **Administrative**

Anthem and Availity are excited to announce the Prior Authorization/Referrals 278 and Inpatient Admission and Discharge Notification 278N 5010 transactions functionality.

### Authorization and Referral Request (278)

Use this transaction to electronically submit authorization and referral requests. You have the option to transmit this transaction in real-time or batch mode, and you will receive confirmation numbers to validate receipt of request.

- An authorization is a review and approval of specific services
- A referral is used to refer a patient to a specialty provider

### **Hospital Admission Notification (278N)**

Use this transaction to electronically submit **hospital admission notifications between your facility and health plan**. The EDI 278N is the easiest, most efficient way to communicate facility admissions. Just like the 278, you can also transmit in either batch or real-time format which includes the ability to update a previously submitted date.

### **What are your benefits for using these transactions?**

- Streamline administrative tasks and increase productivity
- Reduce administrative costs through automation
- Increase data accuracy by reducing manual errors
- Confirm a notification of admission is on file in the form of a service reference number that is generated upon registration
- Submit notification of discharge
- Accomplish more with less – fewer phone calls, faxes or keying

### **Getting Started**

- If you use a clearinghouse or vendor work with them to ensure they have the capability to exchange these transactions.
- If you use practice management software have your Availity administrator use the following path to enroll:
  - **My Providers > Enrollment Center > Transaction Enrollment**

### **Useful Documents**

- [Availity EDI Companion Guide](#) communicates Availity-specific requirements and other information that supplements requirements and information already provided in standard EDI and HIPAA communications.

- Anthem specific companion guide communicates requirements for submitting these transactions. These are located on the company website at - [anthem.com/edi](https://www.anthem.com/edi).
- The [Availity Quick Start Guide](#) will assist you with any EDI connection questions you might have.

If you need assistance, contact Availity Client Services at 1-800-Availity (1-800-282-4548), Monday through Friday 8:00 a.m. to 8:00 p.m.

1082-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/make-the-change-to-digital-authorization-referral-and-hospital-admission-notifications-using-edi-4>

---

## Understanding Availity roles for Electronic Data Interchange (EDI)

Published: Apr 1, 2021 - **Administrative**

Did you know your Availity administrator for your organization is the key to opening doors to self-service transaction roles such as EDI. A role is a group of job functions, also known as permissions. Each role consists of one or more permissions. Assigning roles is part of the process when you add a new Availity user with the **Add User** feature.

### What EDI roles do I need?


EDI Management - This role consists of the following permissions available under EDI File Management in the Availity menu:

- **EDI Reporting Preferences**— Specify the EDI batch report files you want users at your organization to receive, along with file formats and other reporting preferences.
- **EDI Send and Receive Files**— Review EDI batch report files for batch files submitted using Availity's EDI File Management feature. In addition, review payer responses to Availity Web-based claim forms submitted to payers that process claims in batches.
- **File Restore**— Restore archived EDI files to your **ReceiveFiles**



## Set up EDI Reporting Preferences

Availity's batch EDI processing generates response files for each batch file that you submit. The administrator for an organization can set reporting preferences that specify which response files are generated. In the Availity Portal menu, click **Claims & Payments > EDI Reporting Preferences**.



## Enroll for the Direct Data Entry Transaction

You must be assigned the Claims role to submit professional claims or encounters. If you cannot access the claim form, contact your administrator to assign the Claims role to you. Submit transactions through manual data entry in Availity Portal. In the Availity Portal menu, click **Claims & Payments > Professional Claim/Facility Claim/Dental Claim <** Confirm which organization and payer you would like to submit claims for and continue to complete the fields to be directed to the **simple and time saving** claim form to enter claim information.

## Need more help?

The EDI Connection Services Startup Guide is a helpful resource to help you get started, set up your EDI reporting preferences and submit transactions through manual data entry in Availity Portal.

## Contact Availity

- Select **Help & Training > Get Trained** to display the Availity Learning Center (ALC) in a new browser tab. Search the catalog to locate and enroll in courses. Based on your needs.
- Select **Help & Training > Find Help** to display Availity Help in a new browser window. Use Contents to display topics. Depending on your needs, consider exploring these topics:

- Administrator
- Claim submission
- Electronic Data Interchange (EDI)
- Glossary

- Select **Help & Training > Availity Support** to:
- Open a ticket to request support
- Get support via Chat

Call 1-800-AVAILITY (282-4548) to speak with an Availity Client Service rep for more support.

1061-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/understanding-availity-roles-for-electronic-data-interchange-edi-4>

---

## Provider Manual to be updated July 1, 2021

Published: Apr 1, 2021 - **Administrative**

The Provider Manual will be updated for an effective date of July 1, 2021, and will be available after May 1, 2021, on the provider portal of our anthem.com website. Select **Providers** and then under **Provider Resources**, select **Policies, Guidelines and Manuals**. Enter **Maine** as state, scroll to **Provider Manual** and select **Download the Manual**.

Archived copies of the Provider Manual will remain available at the same location for reference of prior information. However, for current reference needs, please ensure that you select the July 2021 manual after July 1, 2021.

1040-0421-PN-ME

**URL:** <https://providernews.anthem.com/maine/article/provider-manual-to-be-updated-july-1-2021>

---

## Procedure searches in Find Care - new sort option

Published: Apr 1, 2021 - **Administrative**

Find Care, the doctor finder and transparency tool in Anthem's online directory, provides many Anthem members with the ability to search and compare cost and quality measures for in-network providers using the secure member portal at [anthem.com](https://www.anthem.com). This tool currently offers multiple sorting options, such as sorting providers based on distance, name, or personalized match.

Beginning April 30, 2021, the personalized match sorting option will be available for searches by procedure type. This sorting option is based on algorithms which will use a combination of member and provider features to intelligently sort and display results for a member's search. The sorting results will take into account member factors such as the member's medical conditions and demographics. Provider factors such as surgeon-facility pairing (an individual provider who performs a procedure at a specific facility), cost efficiency measures, volumes of patients treated across various disease conditions, and outcome-based quality measures.

These member and provider features will be combined to generate a unique ranking of surgeon-facility pairings or facility providers for each member conducting the procedure search. Surgeon-facility pairings with the highest overall ranking within the search radius will be displayed first with other pairings displayed in descending order based on overall rank and proximity to the center of the search radius.

The personalized match methodology for specialty-based searches remains unchanged. Members continue to have the ability to sort from a variety of sorting orders (such as distance), and this enhancement in sorting methodology has no impact on member benefits.

- Providers may review a copy of the new sorting methodology which has been posted on Availity – our secure Web-based provider tool – using the following navigation: Go to [com](https://www.anthem.com) > Payer Spaces > Anthem > Education & Reference Center > Administrative Support > Personalized Provider Procedure Search Methodology.pdf.
- If you have general questions about the Find Care tool or this new sorting option, please contact Provider Service.
- If you would like detailed information about quality or cost factors used as part of this unique sorting or you would like to request reconsideration of those factors, you may do so by emailing [personalizedmatchsorting@anthem.com](mailto:personalizedmatchsorting@anthem.com) or by calling 833-292-2601.

Going forward, we will continue to focus and expand our consumer tools and content to assist members in making more informed and personalized health care decisions.

1046-0421-PN-ME

**URL:** <https://providernews.anthem.com/maine/article/procedure-searches-in-find-care-new-sort-option-7>

---

## **National Consumer Cost Tool (NCCT) provider cost data available for review**

Published: Apr 1, 2021 - **Administrative**

Anthem continues to support cost transparency which involves making provider cost information available to members. Transparency tools such as Anthem's Find Care tool and others are available to members on [anthem.com](https://www.anthem.com) and allow members to estimate their out-of-pocket impact and view the estimated costs for many procedures.

BCBS Axis (formerly NCCT) cost estimates are housed in the National Consumer Cost Transparency (NCCT) database at the Blue Cross and Blue Shield Association. This is the source data used to display costs in Find Care and other third party transparency initiatives, which can be found on the home page of Anthem's Consumer Portal website.

BCBS Axis cost data is updated twice annually - in May and November. As a reminder, Anthem provider costs are now available in a secure section of the Availity provider portal. Authorized representatives of participating facilities and professional practices can login to Availity at [www.availity.com](https://www.availity.com), and register to view the costs for their facility or practice. Costs will be made available to our participating providers no less than 30 days before they become available to our members.

If you have questions regarding Anthem Cost Transparency Data, Find Care, or our expanded transparency initiatives, please contact David Spencer, Sr. Provider Network Manager at [david.spencer@anthem.com](mailto:david.spencer@anthem.com).

1018-0421-PN-ME

**URL:** <https://providernews.anthem.com/maine/article/national-consumer-cost-tool-ncct-provider-cost-data-available-for-review-2>

---

# MCG care guidelines 25th Edition

Published: Apr 1, 2021 - **Administrative**

Effective July 1, 2021, we will upgrade to the 25th edition of MCG care guidelines for the following modules: Inpatient & Surgical Care (ISC), General Recovery Care (GRC), Chronic Care (CC), Recovery Facility Care (RFC), and Behavioral Health Care (BHC). The below tables highlight new guidelines and changes that may be considered more restrictive.

## **Goal length of stay (GLOS) for inpatient and surgical care (ISC)**

<b>Guideline</b>	<b>MCG Code</b>	<b>24<sup>th</sup> Edition GLOS</b>	<b>25<sup>th</sup> Edition GLOS</b>
Aortic Coarctation, Angioplasty	S-152	Ambulatory or 1 day postoperative	Ambulatory
Cardiac Septal Defect: Atrial, Transcatheter Closure	W0016	Ambulatory or 1 day postoperative	Ambulatory
Esophageal Diverticulectomy, Endoscopic	S-445	Ambulatory or 1 day postoperative	Ambulatory
Gastrectomy, Partial - Billroth I or II	S-510	4 or 6 days postoperative	5 days postoperative
Hernia Repair (Non-Hiatal)	S-1305	Ambulatory or 1 day postoperative	Ambulatory
Pancreatectomy	S-1200	5 or 7 days postoperative	6 days postoperative
Pyloroplasty and Vagotomy	S-990	4 or 6 days postoperative	4 days postoperative
Cervical Laminectomy	W0097	2 days postoperative	Ambulatory or 2 days postoperative
Lumbar Discectomy, Foraminotomy, or Laminotomy	W0091	Ambulatory or 1 day postoperative	Ambulatory
Removal of Posterior Spinal Instrumentation	S-530	1 day postoperative	Ambulatory or 1 day postoperative
Shoulder Hemiarthroplasty	W0138	1 day postoperative	Ambulatory or 1 day postoperative
Spine, Scoliosis, Posterior Instrumentation, Pediatric	W0156	4 days postoperative	3 days postoperative
Bladder Resection: Cystectomy with Urinary Diversion, Conduit or Continent	S-190	5 or 6 days postoperative	5 days postoperative

Prostatectomy, Transurethral Resection (TURP)	S-970	Ambulatory or 1 day postoperative	Ambulatory
Urethroplasty	S-1172	Ambulatory or 1 day postoperative	Ambulatory

**New guidelines for behavioral health care (BHC) and recovery facility care (RFC)**

Body System	Guideline Title	MCG - Code
Withdrawal Management	Withdrawal Management, Adult: Inpatient Care	B-031-IP
Withdrawal Management	Withdrawal Management, Adult: Intensive Outpatient Program	B-031-IOP
Withdrawal Management	Withdrawal Management, Adult: Outpatient Care	B-031-AOP
Withdrawal Management	Withdrawal Management, Adult: Partial Hospital Program	B-031-PHP
Withdrawal Management	Withdrawal Management, Adult: Residential Care	B-031-RES
Cardiology	Hypertension	M-5197
Cardiology	Peripheral Vascular Disease (PVD)	M-7087
Nephrology	Rhabdomyolysis	M-7095
Nephrology	Encephalopathy	M-7100
Thoracic Surgery	Rib Fracture	M-5545

**Anthem customizations to MCG care guidelines 25th Edition**

Effective July 1, 2021, the following MCG care guidelines 25th edition customizations will be implemented.

Transcranial Magnetic Stimulation, W0174 (previously ORG: B-801-T) - Revised Clinical Indications for Procedure and added the following:

- Need for acute TMS treatment, up to 6 weeks
- Acute treatment course needed as indicated by
  - (a) Initial course of treatment for major depressive disorder (severe), or

- (b) Relapse of symptoms after remission
- Continuation of acute treatment, up to 6 months
- TMS is considered not medically necessary for all other indications not listed above, including but not limited to, the following:
  - Maintenance TMS treatment
  - Continuation of acute TMS treatment for longer than 6 months
  - TMS treatment of conditions other than major depressive disorder (severe), including but not limited to, the following: Alzheimer's disease, anxiety disorders, bipolar depression, neurodevelopmental disorders, obsessive-compulsive disorder, peripartum depression, post-traumatic stress disorder, substance use disorders, Tourette's syndrome.

Visit our [website](#) for a detailed summary of customizations, scroll down to other criteria section and select Customizations to MCG Care Guidelines 25<sup>th</sup> Edition.

For questions, please contact the provider service number on the back of the member's ID card.

1049-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/mcg-care-guidelines-25th-edition-4>

---

## **New reimbursement policy: Clinic Charges - facility**

Published: Apr 1, 2021 - **Policy Updates** / Reimbursement Policies

A new facility reimbursement policy titled *Clinic Charges* will be implemented beginning with dates of service on or after July 1, 2021. This policy indicates that a facility will not be reimbursed for clinic services rendered to a covered individual by a professional provider at any clinic that is owned, operated or controlled by a facility or health system when billed on a UB-04. Services that are rendered in an office, professional building, medical office building, free standing clinic or other associated spaces must be billed on a CMS-1500.



For more information about this policy, visit the [Reimbursement Policies](#) page at [anthem.com](#).

1029-0421-PN-NE

Article Attachments

[clinic charges.pdf](#)  
application/pdf - 602.12  
KB

URL: <https://providernews.anthem.com/maine/article/new-reimbursement-policy-clinic-charges-facility>

---

## Medical policy and clinical guideline updates are available on [anthem.com](#)

Published: Apr 1, 2021 - **Policy Updates** / Medical Policy & Clinical Guidelines

The following new and revised medical policies and clinical guidelines were endorsed at the February 11, 2021 Medical Policy & Technology Assessment Committee (MPTAC) meeting. These, and all Anthem medical policies and clinical guidelines, are available at [anthem.com/provider](#) > select state > scroll down and select 'See Policies and Guidelines.'

To view medical policies and utilization management guidelines applicable to members enrolled in the Blue Cross and Blue Shield Service Benefit Plan (commonly referred to as the Federal Employee Program® (FEP®)), please visit [www.fepblue.org](#) > Policies & Guidelines.

### Revised medical policy effective February 18, 2021

The following policies were revised to expand medical necessity indications or criteria.

- 00121 - Transcatheter Heart Valve Procedures
- 00145 - Mechanical Circulatory Assist Devices (Ventricular Assist Devices, Percutaneous Ventricular Assist Devices and Artificial Hearts)

### Reviewed medical policies effective April 1, 2021

The following medical policies were reviewed and updated with new procedure and/or diagnoses codes.

- 00049 - Circulating Tumor DNA Panel Testing for Cancer (Liquid Biopsy)
- 00052 - Whole Genome Sequencing, Whole Exome Sequencing, Gene Panels, and Molecular Profiling

- 00011 - Analysis of Proteomic Patterns

### **Coding update effective April 1, 2021**

The following policy was updated with new procedure and/or diagnosis codes.

- OR-PR.00005 – Upper Extremity Myoelectric Orthoses

### **New Medical Policy effective April 1, 2021**

The following medical policy is new.

- 00056 - Gene Expression Profiling for Bladder Cancer

### **Revised medical policy effective April 1, 2021**

The following policy was revised to expand medical necessity indications or criteria.

- 00087 - Optical Detection for Screening and Identification of Cervical Cancer

### **Reviewed medical policies effective April 7, 2021**

The following policies were reviewed and may have word changes or clarifications, but had no significant changes to the policy position or criteria.

- 00007 – Cosmetic and Reconstructive Services: Skin Related
- 00009 - Cosmetic and Reconstructive Services of the Trunk and Groin
- 00022 - Functional Electrical Stimulation (FES); Threshold Electrical Stimulation (TES)
- 00032 - Automated External Defibrillators for Home Use
- 00041 - Low Intensity Therapeutic Ultrasound
- 00009 - Gene Expression Profiling and Genomic Biomarker Tests for Prostate Cancer
- 00038 - Genetic Testing for Statin-Induced Myopathy
- 00050 - Gene Expression Profiling for Coronary Artery Disease
- 00054 - Paired DNA and Messenger RNA (mRNA) Genetic Testing to Detect, Diagnose and Manage Cancer
- 00003 - In Vitro Chemosensitivity Assays and In Vitro Chemoresistance Assays
- 00015 - Detection of Circulating Tumor Cells in the Blood as a Prognostic Factor for Cancer

- 00025 - Topographic Genotyping
- 00011 - Sensory Stimulation for Brain-Injured Individuals in Coma or Vegetative State
- 00024 - Adoptive Immunotherapy and Cellular Therapy
- 00053 - Non-Invasive Measurement of Left Ventricular End Diastolic Pressure in the Outpatient Setting
- 00057 - MRI Guided High Intensity Focused Ultrasound Ablation for Non-Oncologic Indications
- 00059 - Idiopathic Environmental Illness (IEI)
- 00101 - Physiologic Recording of Tremor using Accelerometer(s) and Gyroscope(s)
- 00102 - Ultrafiltration in Decompensated Heart Failure
- 00104 - Non-invasive Measurement of Advanced Glycation Endproducts (AGEs) in the Skin
- 00105 - Bioimpedance Spectroscopy Devices for the Detection and Management of Lymphedema
- 00111 - Intracardiac Ischemia Monitoring
- 00112 - Autonomic Testing
- 00118 - Continuous Monitoring of Intraocular Pressure
- 00120 - Gene Therapy for Ocular Conditions
- 00125 - Biofeedback and Neurofeedback
- 00132 - Adipose-derived Regenerative Cell Therapy and Soft Tissue Augmentation Procedures
- OR-PR.00004 - Partial-Hand Myoelectric Prosthesis
- 00001 - Computed Tomography of Detect Coronary Artery Calcification
- 00038 - Use of 3-D, 4-D or 5-D Ultrasound in Maternity Care
- 00044 - Magnetic Resonance Neurography
- 00052 - Positional MRI
- 00059 - Catheter-based Embolization Procedures for Malignant Lesions Outside the Liver
- 00023 - Breast Procedures; including Reconstructive Surgery, Implants and Other Breast Procedures
- 00032 - Patent Foramen Ovale and Left Atrial Appendage Closure Devices for Stroke Prevention
- 00043 - Electrothermal Shrinkage of Joint Capsules, Ligaments and Tendons
- 00053 - Unicondylar Interpositional Spacer

- 00056 - Transanal Radiofrequency Treatment of Fecal Incontinence
- 00061 - Presbyopia and Astigmatism-Correcting Intraocular Lenses
- 00070 - Photocoagulation of Macular Drusen
- 00072 - Lysis of Epidural Adhesions
- 00075 - Intervertebral Stabilization Devices
- 00089 - Self-Expanding Absorptive Sinus Ostial Dilatation
- 00096 - Surgical and Ablative Treatments for Chronic Headaches
- 00103 - Intraocular Anterior Segment Aqueous Drainage Devices (without extraocular reservoir)
- 00107 - Prostate Saturation Biopsy
- 00113 - Artificial Retinal Devices
- 00124 - Carotid Sinus Baroreceptor Stimulation Devices
- 00127 - Sacroiliac Joint Fusion
- 00132 - Drug-Eluting Devices for Maintaining Sinus Ostial Patency
- 00137 - Focused Microwave Thermotherapy for Breast Cancer
- 00139 - Intraoperative Assessment of Surgical Margins During Breast-Conserving Surgery with Radiofrequency Spectroscopy or Optical Coherence Tomography
- 00143 - Perirectal Spacers for Use During Prostate Radiotherapy
- 00148 - Spectral Analysis of Prostate Tissue by Fluorescence Spectroscopy
- 00149 - Percutaneous Ultrasonic Ablation of Soft Tissue
- 00150 - Leadless Pacemaker
- 00151 - Balloon Dilatation of Eustachian Tubes
- 00152- Wireless Cardiac Resynchronization Therapy for Left Ventricular Pacing
- 00154 - Microsurgical Procedures for the Treatment of Lymphedema
- 00011 - Pancreas Transplant and Pancreas-Kidney Transplant
- 00013 - Small Bowel and Multivisceral Transplant including Small Bowel/Liver
- 00016 - Umbilical Cord Blood Progenitor Cell Transplant
- 00025 - Laboratory Testing as an Aid in the Diagnosis of Heart Transplant Rejection
- 00028 - Hematopoietic Stem Cell Transplant for Hodgkin's Disease & Non-Hodgkin's Lymphoma
- 00031 - Hematopoietic Stem Cell Transplant for Autoimmune Disease & Misc. Solid Tumors

### **Archived medical policy effective April 7, 2021**

The following medical policy has been archived.

- 00077 - In-Vivo Analysis of Gastrointestinal Lesions

### **Archived medical policy effective April 7, 2021**

The following medical policies have been archived and transitioned to a Clinical UM Guideline.

- 00007 - Cardiac Ion Channel Genetic Testing (transitioned to CG-GENE-23)
- 00011 - Gene Expression Profiling for Managing Breast Cancer Treatment (transitioned to CG-GENE-22)
- 00017 - Genetic Testing for Diagnosis and Management of Hereditary Cardiomyopathies (including arrhythmogenic right ventricular dysplasia/cardiomyopathy) (transitioned to CG-GENE-23)

### **Archived medical policy effective June 25, 2021**

The following medical policies have been archived and transitioned to a Clinical UM Guideline.

- 00022 - Lung Volume Reduction Surgery (transitioned to CG-SURG-110)

### **New medical policies effective July 1, 2021**

The following policies are new and may result in services previously covered now being considered either not medically necessary and/or investigational.

- 00038 - Cell-free DNA Testing to Aid in the Monitoring of Kidney Transplants for Rejection
- 00039 - Pooled Antibiotic Sensitivity Testing
- 00159 - Focal Laser Ablation for the Treatment of Prostate Cancer
- 00037 - Uterine Transplantation

### **Revised medical policies effective July 1, 2021**

The following policies listed below were revised and might result in services previously covered, but now being considered either not medically necessary and/or investigational.

- 00008 - Cosmetic and Reconstructive Services of the Head and Neck
- 00033 - Protein Biomarkers for the Screening, Detection and Management of Prostate Cancer
- 00056 - Gene Expression Profiling for Bladder Cancer

### **Revised clinical guidelines effective February 18, 2021**

The following adopted guidelines were revised to expand medical necessity indications or criteria.

- CG-MED-87 - Single Photon Emission Computed Tomography Scans for Noncardiovascular Indications
- CG-SURG-27 - Gender Reassignment Surgery

### **Revised clinical guideline effective April 1, 2021**

The following adopted guideline was reviewed and updated with new procedure and/or diagnoses codes.

- CG-GENE-04 - Molecular Marker Evaluation of Thyroid Nodules

### **Revised clinical guideline effective April 1, 2021**

The following adopted guideline was revised and may have word changes or coding updates but had no significant changes to the position or criteria.

- CG-GENE-14 - Gene Mutation Testing for Solid Tumor Cancer Susceptibility and Management

### **Archived clinical guidelines effective April 1, 2021**

The following adopted guidelines have been archived and their content has been transferred to an existing Clinical UM Guideline.

- CG-GENE-02 - Analysis of RAS Status (transferred to CG-GENE-14)
- CG-GENE-03 - BRAF Mutation Analysis (transferred to CG-GENE-14)
- CG-GENE-12 - PIK3CA Mutation Testing for Malignant Conditions (transferred to CG-GENE-14)

- CG-GENE-20 - Epidermal Growth Factor Receptor (EGFR) Testing (transferred to CG-GENE-14)

### **Revised clinical guidelines effective April 7, 2021**

The following adopted guidelines were revised to expand medical necessity indications or criteria.

- CG-MED-26 - Neonatal Levels of Care
- CG-SURG-71 - Reduction Mammoplasty
- CG-SURG-97 - Cardioverter Defibrillators
- CG-SURG-107 - Surgical and Minimally Invasive Treatments for Benign Prostatic Hyperplasia (BPH)

### **Reviewed clinical guidelines effective April 7, 2021**

The following adopted guidelines were reviewed and may have word changes or clarifications but had no significant changes to the policy position or criteria.

- CG-DME-06 - Pneumatic Compression Devices for Lymphedema
- CG-GENE-01 - Janus Kinase 2, CALR and MPL Gene Mutation Assays
- CG-GENE-07 - BCR-ABL Mutation Analysis
- CG-GENE-08 - Genetic Testing for PTEN Hamartoma Tumor Syndrome
- CG-GENE-09 - Genetic Testing for CHARGE Syndrome
- CG-GENE-16 - BRCA Genetic Testing
- CG-MED-37 - Intensive Programs for Pediatric Feeding Disorders
- CG-MED-68 - Therapeutic Apheresis
- CG-SURG-03 - Blepharoplasty, Blepharoptosis Repair, and Brow Lift
- CG-SURG-09 - Temporomandibular Disorders
- CG-SURG-84 - Mandibular/Maxillary (Orthognathic) Surgery
- CG-SURG-95 - Sacral Nerve Stimulation and Percutaneous Tibial Nerve Stimulation for Urinary and Fecal Incontinence, Urinary Retention
- CG-SURG-99 - Panniculectomy and Abdominoplasty
- CG-SURG-104 - Intraoperative Neurophysiological Monitoring
- CG-TRANS-02 - Kidney Transplantation

### **New clinical guidelines effective April 7, 2021**

The following guidelines were previously medical policies and have been adopted with no significant changes.

- CG-GENE-22 - Gene Expression Profiling for Managing Breast Cancer Treatment (previously GENE.00011)
- CG-GENE-23 - Genetic Testing for Heritable Cardiac Conditions (previously GENE.00007 and GENE.00017)

### **New clinical guideline effective April 7, 2021**

The following guideline is new and has been adopted.

- CG-LAB-17 - Molecular Gastrointestinal Pathogen Panel (GIPP) Testing for Infectious Diarrhea in the Outpatient Setting

### **New clinical guideline effective June 25, 2021**

The following guideline was previously a medical policy and has been adopted with have no significant changes.

- CG-SURG-110 - Lung Volume Reduction Surgery (previously SURG.00022)

### **Revised clinical guidelines effective July 1, 2021**

The following adopted guidelines were revised and might result in services previously covered, but now being considered not medically necessary.

- CG-GENE-13 - Genetic Testing for Inherited Diseases
- CG-SURG-82 - Bone-Anchored and Bone Conduction Hearing Aids
- CG-SURG-88 - Mastectomy for Gynecomastia
- CG-SURG-97 - Cardioverter Defibrillators
- CG-SURG-107 - Surgical and Minimally Invasive Treatments for Benign Prostatic Hyperplasia (BPH)

1084-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/medical-policy-and-clinical-guideline-updates-are-available-on-anthemcom-2>

---



# HEDIS 2021 Federal Employee Program® medical record request requirements

Published: Apr 1, 2021 - **State & Federal** / Federal Employee Plan (FEP)

We have contracted with Reveleer to gather member medical records on behalf of the Blue Cross and Blue Shield Federal Employee Program. We value the relationship with our providers and ask that you respond promptly **within five (5) business days** of the detailed records requests in support of risk adjustment, HEDIS and other government required activities. Reveleer will work with you to obtain records via fax, mail, remote electronic medical record (EMR) access, or onsite scanning/EMR download (as necessary).

If you have any questions, you can reach a Reveleer representative by calling 855-454-6182 or contact Ify Ifezulike with Blue Cross and Blue Shield Federal Employee Program at 202-626-4839.

1091-0421-PN-NE

**URL:** <https://providernews.anthem.com/maine/article/hedis-2021-federal-employee-program-medical-record-request-requirements-5>

---

## Medical drug benefit clinical criteria updates - November 2020

Published: Apr 1, 2021 - **State & Federal** / Medicare

On June 18, 2020, August 21, 2020, and November 20, 2020, the Pharmacy and Therapeutics (P&T) Committee approved the following clinical criteria applicable to the medical drug benefit for Anthem Blue Cross and Blue Shield and AMH Health, LLC. These policies were developed, revised or reviewed to support clinical coding edits.

Visit [clinical criteria](#) to search for specific policies. If you have questions or would like additional information, use this [email](#).

Please see the explanation/definition for each category of clinical criteria below:

- New: newly published criteria
- Revised: addition or removal of medical necessity requirements, new document number

- Updates marked with an asterisk (\*) notate that the criteria may be perceived as more restrictive

Please share this notice with other members of your practice and office staff.

**Please note: The clinical criteria listed below applies only to the medical drug benefits contained within the member's medical policy. This does not apply to pharmacy services.**

<b>Effective date</b>	<b>Document number</b>	<b>Clinical Criteria title</b>	<b>New or revised</b>
March 26, 2021	ING-CC-0183*	Sogroya (somapacitan-beco)	New
March 26, 2021	ING-CC-0148*	Agents for Hemophilia B	Revised
March 26, 2021	ING-CC-0149*	Select Clotting Agents for Bleeding Disorders	Revised
March 26, 2021	ING-CC-0065	Agents for Hemophilia A and von Willebrand Disease	Revised
March 26, 2021	ING-CC-0125	Opdivo (nivolumab)	Revised
March 26, 2021	ING-CC-0119	Yervoy (ipilimumab)	Revised
March 26, 2021	ING-CC-0121*	Gazyva (obinutuzumab)	Revised
March 26, 2021	ING-CC-0048*	Spinraza (nusinersen)	Revised
March 26, 2021	ING-CC-0002*	Colony Stimulating Factor Agents	Revised
March 26, 2021	ING-CC-0034*	Hereditary Angioedema Agents	Revised
March 26, 2021	ING-CC-0041*	Complement Inhibitors	Revised
March 26, 2021	ING-CC-0071*	Entyvio (vedolizumab)	Revised
March 26, 2021	ING-CC-0064*	Interleukin-1 Inhibitors	Revised
March 26, 2021	ING-CC-0042*	Monoclonal Antibodies to Interleukin-17	Revised
March 26, 2021	ING-CC-0066*	Monoclonal Antibodies to Interleukin-6	Revised
March 26, 2021	ING-CC-0050*	Monoclonal Antibodies to Interleukin-23	Revised
March 26, 2021	ING-CC-0078*	Orencia (abatacept)	Revised
March 26, 2021	ING-CC-0063*	Stelara (ustekinumab)	Revised
March 26, 2021	ING-CC-0062*	Tumor Necrosis Factor Antagonists	Revised
March 26, 2021	ING-CC-0003*	Immunoglobulins	Revised
March 26, 2021	ING-CC-0039*	GamaSTAN [immune globulin (human)]	Revised

March 26, 2021	ING-CC-0053	Injectable Hydroxyprogesterone for Prevention of Preterm Birth	Revised
March 26, 2021	ING-CC-0073*	Alpha-1 Proteinase Inhibitor Therapy	Revised
March 26, 2021	ING-CC-0075	Rituximab Agents for Non-Oncologic Indications	Revised
March 26, 2021	ING-CC-0072	Selective Vascular Endothelial Growth Factor (VEGF) Antagonists	Revised
March 26, 2021	ING-CC-0027*	Denosumab Agents	Revised
March 26, 2021	ING-CC-0019*	Zoledronic Acid Agents (Reclast, Zometa)	Revised
March 26, 2021	ING-CC-0011*	Ocrevus (ocrelizumab)	Revised
March 26, 2021	ING-CC-0174*	Kesimpta (ofatumumab)	Revised

AMHCRNU-0053-21  
ABSCRNU-0207-21

URL: <https://providernews.anthem.com/maine/article/medical-drug-benefit-clinical-criteria-updates-november-2020-2>

## Medical drug benefit clinical criteria updates - December 2020

Published: Apr 1, 2021 - **State & Federal** / Medicare

On December 18, 2020, and December 22, 2020, the Pharmacy and Therapeutics (P&T) Committee approved the following clinical criteria applicable to the medical drug benefit for AMH Health, LLC. These policies were developed, revised or reviewed to support clinical coding edits.

Visit [clinical criteria](#) to search for specific policies. If you have questions or would like additional information, use this [email](#).

Please see the explanation/definition for each category of clinical criteria below:

- New: newly published criteria